


Making IoT Easy

Connected Secure System Solutions




Linking the real and the digital world

Infine on powers the digitalization for IoT with an extensive portfolio of products including sensors, microcontrollers, actuators, wireless connectivity, and security to link the real and digital world. With robust software development tools and an extensive partner ecosystem, you can easily bring your IoT products to market.



Build any IoT application with Infineon's extensive portfolio

With over 15,000 products, Infineon's product portfolio gives you one place to get all the products you need for your IoT application. Products are supported with development boards, evaluation kits, software, and design tools to make IoT work!




Accelerating IoT development with system solutions

By combining a comprehensive IoT portfolio with deep system expertise, Infineon delivers solutions that let you build IoT systems faster, with less effort, and better results. As a trusted partner for 8 of the top 10 IoT companies, Infineon leverages over 20 years of IoT leadership, with over 3 billion IoT chips shipped to help you bring your IoT application to market.

With products for key IoT technologies like HMI, wireless connectivity, and security, Infineon delivers solutions that let you focus on your business model, product design, and go-to-market instead of struggling to incorporate multiple technology systems. Our design resources, tools, reference designs, and partners let you jump-start your project and get to production faster.

Below is an example of a system solution for an induction cooktop that incorporates multiple Infineon technologies and services into a reference platform.



Learn more:

Smart induction cooktop webpage | Induction cooktop video

Solving major IoT technology pain points

IoT requires key technical building blocks to create any application including HMI, intelligent sensors, wireless connectivity, security and privacy, edge machine learning, cloud, actuation, and power. With IoT applications using multiple technology areas, the time and expertise required to implement and integrate these areas together only increases. By providing reference examples that combine multiple technical building blocks, Infineon products and expertise simplify development complexity and get you to market faster.






The smooth, intuitive experience of a smartphone interface has become the standard that every IoT application is expected to deliver for HMI. With the addition of voice as an HMI, the knowledge and expertise needed to quickly integrate these seamless interfaces into your device only increases. Infineon's deep expertise lets you create HMI solutions like touch control built with CAPSENSE™, which has been used to replace over 6 billion mechanical buttons.

Consumer touch control

Creating a smooth touch interface requires accurate touch detection along with a responsive interface.

To prevent false touch detections from ruining the experience, you have to manage noise and electromagnetic interference from other components like the power supply. Infineon's CAPSENSE™ with industry leading signal to noise ratio performance lets you overcome these challenges. Choose from a variety of CAPSENSE™ based kits to quickly prototype your touch solution.



PSOC™ 6 MCU | PSOC™ 4 MCU

Learn more:

Smart home display demo video | Consumer touch control





Industrial touchscreen

Industrial environments require a touch interface that can perform under extreme conditions created by water and dust, while also accurately detecting touches from operators wearing gloves. Infineon along with partner UICO has created a solution that shows how Infineon's CAPSENSE™ and the technology from UICO can meet industrial touch screen requirements.

Featured product:

PSOC[™] 4100S Max MCU

Learn more:

Industrial touchscreen demo video

Human Machine Interfaces (HMI)

Wearables

Capacitive touch sensing has revolutionized user interfaces for modern products in the last two decades and enabled the emergence of several innovative products, including wearable products. With this change, designers need to reduce power consumption and touch-sensor size, all while maintaining an excellent user experience, even under harsh operating conditions. Infineon's PSOC™ 4000T featuring 5th Generation CAPSENSE™ technology gives you best in class low-power capacitive sensing solution with unsurpassed signal-to-noise ratio, liquid tolerance, and multi-sense capabilities coupled with industry leading reliability and robustness.



Featured product:

PSOC[™] 4000T

Learn more:

Wearable video



Presence detection and gesture control

Touchless control solutions let you keep control surfaces clean while also reducing wear and tear. The challenge is to build a robust solution for touchless controls that is both cost effective and energy efficient. Infineon's CAPSENSE™ lets you build low-cost and low-power solutions for presence detection and gesture control that other technologies can't.

For applications needing greater accuracy and more precise detection of objects including direction of motion and speed, Infineon's radar sensors and software algorithms give you sophisticated presence detection with high accuracy in detecting both small and large movements up to 5 meters away.

Featured product:

PSOC™ 4000T | Radar sensors for IoT

Learn more:

Gesture control demo video

Human Machine Interfaces (HMI)



Local voice commands

Modern voice controlled interfaces require high performance microphones along with machine learning for audio processing so that you can do things like detect wake words or process voice command locally. Infineon provides local voice control solutions for low power and constrained edge devices using XENSIV™ MEMS microphones and PSOC™ 6 Arm® Cortex® M4 microcontrollers for audio processing. Infineon also partners with Cyberon to simplify machine learning for wake word and intent recognition.

Featured product:

PSOC™ 6 MCU | XENSIV™ MEMS mic

Learn more:

Cyberon

Graphic display

IoT applications require all types of graphics from simple displays to rich, full graphics. With a broad family of microcontrollers, Infineon supports many of the IoT displays that you need to build. Combined with the knowledge from partnerships with graphics experts like Embedded Wizard, Segger emWin, and Altia, Infineon has the solutions for all your graphics needs.

Featured product:

PSOC™ 6 Wi-Fi BT Pioneer Kit

Learn more:

Segger | Embedded Wizard | Altia





Infineon's broad portfolio includes ready-to-use sensor solutions that enable fast time-to-market and reliable functionality. Based on 40 years of experience developing sensor products and a world-leading sensing technology portfolio, Infineon's XENSIV™ delivers exceptional accuracy, best-in-class measurement performance, reliability, field proven quality, system stability, durability, and integrity.

Connected sensors

Infineon's XENSIV™ Connected Sensor Kit (CSK) lets you connect to the cloud with AIROC™ Wi-Fi to quickly visualize sensor data on a cloud dashboard. Connect different sensors to the cloud using adapter boards that come with the CSK like the PAS CO₂ and 60GHz RADAR sensor boards.

Featured product:

PSOC™ 6 MCU | AIROC™ CYW43012 | XENSIV™ 60GHz radar | XENSIV™ PAS CO₂ sensor

Learn more:

Connected Sensor Kit | Connected sensor kit demo video





Intelligent environmental control

Environmental controls rely on static and preset programs that can quickly get out of touch with how people actually use a physical space. Intelligent sensors provide the crucial feedback loop to ensure that environmental systems like air conditioners are used efficiently and for maximum comfort. The Smart Aircon demo showcases connected air conditioning using AIROC™ Wi-Fi and Bluetooth®, iMotion™ motor control, and PSOC™ 6 microcontroller. Using XENSIV™ PAS CO₂ sensor data and occupancy sensing with XENSIV™ 60GHz radar, the demo shows intelligent automation that responds to people.

Featured product:

PSOC™ 6 MCU

Learn more:

Smart air conditioner demo video

Intelligent Sensors

Crowd control using high accuracy sensing

Presence detection and people counting applications are used to limit overcrowding in public space to maintain health and safety. Infineon's XENSIV™ 60GHz radar combined with software algorithms running on the PSOC™ microcontroller let you track room occupancy, while maintaining user privacy.

Featured product:

PSOC[™] 6 MCU | XENSIV[™] 60 GHz radar

Learn more:

People counting website








In an increasingly digital world filled with connected devices, device security is key to protecting user privacy and preventing attacks. To address this growing need for secure devices, Infineon delivers hardware-based security to protect data from the end device to the cloud.

Secured microcontrollers

With a growing number of devices connecting to the internet, security must be established between hardware, cloud applications and servers, and finally users and services. PSOC™ 64 Secure microcontrollers protect device integrity with preconfigured security and connectivity software to support secure onboarding, secure boot, secure firmware updates and secure runtime services based on Trusted Firmware-M to deliver a secure solution that works.



PSOC™ 64

Learn more:

PSOC™ 64 Secure Boot Kit





Secure elements

Authentication plays a key role for IoT security, but it can be a challenge to develop and evaluate end-to-end authentication for all your IoT devices. OPTIGA™ Trust M is a standalone secure element that simplifies the integration of security in IoT devices at scale. It can be used with any MCU/MPU or application processor. OPTIGA™ Trust M can handle security-related tasks such as secured authentication, secured communication, secured updates, and access management. This highly modular solution can enhance the security of existing designs without extensive resource allocation and with a faster time to market. OPTIGA™ Trust M is available with multiple provisioning options – from pre-provisioned to custom provisioning.

Featured product:

OPTIGA™ Trust M

Learn more:

OPTIGA™ Trust M IoT Security Development Kit



Trusted platform modules

OPTIGA™ TPMs protect the integrity and authenticity of IoT devices. With a secured key store and support for a variety of encryption algorithms, OPTIGA™ TPM security chips let you create individual and secured IDs to protect the integrity and authenticity of devices like surveillance cameras and EV charging stations.

Featured product:

OPTIGA™ TPM

Learn more:

OPTIGA™ TPM video | OPTIGA™ TPM Github repository


Automatic device-to-cloud provisioning

For the best security, IoT devices require a unique identifier assigned at the time of manufacturing to ensure authenticity. CIRRENT™ Cloud ID lets you simply and securely, obtain and register unique device identities created at the Infineon factory into your cloud. Compared to approaches like using a generic certificate for all devices, CIRRENT™ Cloud ID gives you an automated and secured way to protect your IoT device.

CIRRENT™ Cloud ID is a unique approach to device-to cloud authentication making it easier, cost effective, and secure by automating cloud provisioning of device certificates.

Featured product:

CIRRENT™ Cloud ID





Manufacturing simplicity of non-connected products



HSM & PKI

Cryptographic Automatic & reliable cloud security of an provisioning




Auditable manufacturing & security



Active payments: smart wearables and IoT devices

By adding NFC capabilities to wearables, they can be used for payment or to gain access to public transportation and office buildings. SECORA™ Connect X, an all-in-one turnkey NFC solution, supports this trend. The ultra-low-power, boosted NFC solution provides an easy path to EMVCo-based payments and can be combined with NFC wireless charging for smart wearables such as smart rings, wristbands, smartwatches and more making them more user-friendly and convenient.



SECORA™ Connect NFC wearable solutions

Learn more:

Payments in Motion web page





Brand protection

Counterfeit trade significantly impacts the revenue of luxury brands and fake medical products threaten patient health and safety. By integrating secured NFC tags into these products, you can easily verify the authenticity of the products using your NFC-enabled mobile device. Infineon's secured NFC tag and OPTIGA™ Authenticate NBT are designed with advanced cryptography features to reliably establish the authenticity of your products while offering resistance against cloning.

Featured product:

Secured NFC tag | OPTIGA™ Authenticate NBT

Learn more:

NFC 2 Go starter kit

Contactless accessory authentication

Counterfeit accessories and consumables, such as fake water filter cartridges and electric toothbrush heads result in consumer dissatisfaction, revenue loss, and potential health risks. With the combination of an inbuilt NFC reader and Infineon secured NFC tag, you can easily authenticate your purchases, ensuring that you use genuine accessories every time. The contactless NFC technology is best suited for challenging environments prone to water spills, motor vibration, and wear and tear, maximizing the performance and longevity of your products.

Featured product:

Secured NFC tags

Learn more:

Accessory authentication video





Contactless authentication and secured configuration of IoT devices

Having the ability to securely communicate with industrial or healthcare devices like sensors, actuators and remote process controllers is critical to taking advantage of machine learning and artificial intelligence to improve efficiency. You also need to be certain that the equipment and parts are authentic and can be trusted to operate as designed. With the increase in connected devices, you are also faced with the challenge of manually configuring the network connection for multiple devices while also securing them against attacks. Infineon's OPTIGA™ Authenticate NBT, is a highperformance NFC-I2C bridge tag designed to enable secured contactless authentication and configuration of headless devices using an ultra-fast, flexible and secure interface that simplifies configuration and safeguards the transfer of sensitive data.

Featured product:

OPTIGA™ Authenticate NBT

Learn more:

NFC bridge tag demo video

Accessory authentication

Consumer devices, home appliances and industrial machines are constantly exposed to the risk of counterfeit spares and accessories. Fakes can compromise functionality, user safety and – as a result – brand value. Infineon's OPTIGA™ Authenticate S is a fully fledged, turnkey hardware-based security solution for any device authentication challenge offering unprecedented levels of configuration flexibility and a range of hardened security features.

Featured product:

OPTIGA™ Authenticate S | OPTIGA™ Authenticate On

Learn more:

OPTIGA™ Authenticate S Eval Kit | Accessory authentication demo





eSIM for cellular IoT devices

OPTIGA™ Connect IoT is a ready-to-connect embedded SIM (eSIM) solution for cellular IoT devices. It comes with a pre-installed GSMA-compliant operating system and pre-integrated connectivity capabilities and offers global cellular network coverage (2G, 3G, 4G, CAT-M and other LTE services) with a choice of 640+ networks across 200 countries and territories. In addition, it comes with a high level of tamper resistance which is especially important for devices that remain in the field for long periods of time.

Featured product:

OPTIGA™ Connect IoT

Learn more:

OPTIGA™ Connect IoT video

Edge Machine Learning


TinyML brings machine learning to low-power IoT devices and lets them transform raw sensor data into meaningful insights in real time. Running ML on the edge lets you process sensor data on the device and put intelligence at the IoT edge while avoiding privacy and latency issues caused by sending data to the cloud. With a strong in-house portfolio and key ML partnerships, Infineon makes tool flow and inference model development easy for anyone, even people just getting started.

Build your own models

Building and deploying ML for embedded devices has many challenges including optimizing trained ML models for embedded devices, validating model performance, and generating model code and libraries. ModusToolbox™ Machine Learning lets you rapidly evaluate and deploy ML applications on low-power edge devices. With configurators, tools, code examples, and supporting libraries ModusToolbox™ ML lets you evaluate and benchmark pre-trained ML models created from frameworks like TensorFlow and Keras.

Featured product:

ModusToolbox™ Machine Learning





End-to-end machine learning workflow

With AI and machine learning expertise, Imagimob gives you off the shelf AI models that you can add into products with no machine learning development required. The Imagimob Studio development platform lets you build custom AI models and optimize existing models for edge devices. Imagimob's AI models can be used for audio event detection, predictive maintenance, gesture recognition, signal classification, surface detection, and material detection. All these features are designed to work with Infineon's broad portfolio of microcontrollers and sensors.

Learn more:

Imagimob

Edge Machine Learning

Partner models

Building your own AI models can be a complex and expensive effort that can be difficult for anyone to take on. Infineon has worked with key ML partners to provide developers a seamless process for things like recognizing patterns in sensor data, wake word detection, training ML models, and deploying realtime inferencing models. Each of these partners let you quickly deploy models with seamless integration with ModusToolbox™.

Learn more:

Cyberon | SensiML







Predictive maintenance

ML presents the promise of detecting upcoming system failures for crucial HVAC elements such as filters, compressors, motors, and fans. With the XENSIV™ predictive maintenance evaluation kit you can start evaluating sensor-based condition monitoring and predictive maintenance use cases for HVAC equipment. Infineon demonstrates anomaly detection at the edge that can be used for predictive maintenance. The demo deploys ML on the XMC4700 to show unsupervised AI algorithms running locally to predict failures that could lead to expensive repairs and down time. The demo shows XENSIV™ sensors measuring vibration, current consumption and patterns, temperature, and acoustic noise levels with all the data shown on a dashboard along with a health score.

Featured product:

XMC4700 | AIROC™ Wi-Fi | XENSIV™ sensors

Learn more:

XENSIV[™] predictive maintenance evaluation kit | Anomaly detection demo video

Edge Machine Learning

Microcontroller built for machine learning

Microcontrollers with integrated AI capabilities are central to edge machine learning. These small, low-power devices can run AI models locally, enabling smart features in applications such as wearables, smart home devices and industrial HMI. By processing data at the edge, these microcontrollers enhance the efficiency and responsiveness of machine learning-driven tasks while minimizing the need for continuous cloud connectivity. PSOC™ Edge enables a new generation of responsive machine learning-based user-centric edge devices by providing hardware accelerated neural net compute support, delivering both "always-on" low power and high-performance operation, in a fully integrated microcontroller with right-sized peripherals, on-chip memories and state-of-the-art security.



Featured product:

PSOC™ Edge MCU

Learn more:

PSOC™ Edge video | ModusToolbox™ Environment software for ML





Wireless technologies like Wi-Fi, Bluetooth®LE, and NFC make up the backbone of everyday IoT applications. As a wireless pioneer and market leader with over 1 billion units shipped, Infineon has solved the technical challenges of wireless connectivity including wireless co-existence and low-power wireless. Infineon also drives the future direction of Wi-Fi, Bluetooth®, and Matter through their standards bodies.

Infineon's AIROC™ Wi-Fi 6E

Wi-Fi 6E promises to bring improved reliability and bandwidth for congested wireless environments by opening up the 6 GHz band. With lower latency and power consumption, communication is more efficient compared to the 2.4 GHz and 5 GHz bands. Infineon has combined AIROC™ Wi-Fi 6 connectivity with NVIDIA's processors to demonstrate low-latency and improved user experience for AI applications.

Featured product:

AIROC™ Wi-Fi 6/6E Bluetooth® 5.x combo

Learn more:

Infineon Wi-Fi 6E and NVIDIA AI demo video





AIROC™ Wi-Fi & Bluetooth® Partner Modules

Adding Wi-Fi and Bluetooth® connectivity to your IoT product requires careful design to ensure proper performance and regulatory compliance. Infineon's partner modules accelerate time-to-market by providing optimized RF design in a small package. Partner module lineups include pre-certified modules with integrated antennas, as well as modules combining MCU and connectivity in one. Get your IoT products to market faster, easier, and with less risk!

Featured product:

AIROC™ Wi-Fi and Bluetooth® Combo

Learn more:

Partner module selection guide

AIROC™ Bluetooth® modules

Infineon's fully integrated, certified, and programmable AIROC™ Bluetooth® modules let you easily build products faster and with minimized risk by giving you pre-built modules that are certified for multiple global regulatory bodies. Easily find the right module for your application with a wide range of options for antenna types, output power, temperature range, and size. These modules get you to production faster with pre-configured software along with partner support and services.

Featured product:

AIROC™ Bluetooth® and Multiprotocol

Learn more:

Bluetooth® module selection guide





Long range Bluetooth®

Traditional Bluetooth® has a range that only reaches a few meters, making it unusable for applications that need longer range. With a range of up to hundreds of meters, Bluetooth® LE long range makes using Bluetooth possible for applications that require long range like smart city infrastructure, asset tracking, and industrial automation. By supporting all the Bluetooth® LE 5.4 features you need, Infineon's AIROC™ CYW20829 lets you take advantage of Bluetooth® LE long range for your next design.

Featured product:

AIROC™ Wi-Fi Bluetooth® Combo

Learn more:

CYW20829 Bluetooth® long range video

Bluetooth® broadcast with LE Audio

LE Audio represents the future of wireless audio with lightning-fast connections, seamless bidirectional communication, and the ability to broadcast audio to multiple devices at once - a game-changing upgrade from traditional point-to-point communication. Using a new generic audio framework and advanced codec for unparalleled performance, LE Audio reduces lag and provides a more immersive, more connected audio experience. Infineon's CYW20829 let you quickly get started with evaluating LE Audio for your application.



Featured product:

AIROC™ CYW20829

Learn more:

LE Audio video



Low latency gaming

The rising performance demands of competitive gaming and extended reality are often pushing the limits of wireless technologies. Current solutions for low latency HID are often proprietary in nature, requiring dedicated radio components, both on the receiver and transmitter side, restricting customers to a limited supplier landscape and increased overall system costs. With HID over ISOC, Infineon delivers the same performance as proprietary solutions while still offering the flexibility to create a lower cost, interoperable solution.

Featured product:

AIROC™ CYW20829

Learn more:

Low latency gaming demo video

Wi-Fi range

Infineon's AIROC™ Wi-Fi 6 devices go beyond the standard, featuring high transmit power and low receive sensitivity for maximum range and coverage without the need for expensive front-end amplifiers. Advanced algorithms further improve coverage by minimizing interference from both neighboring networks and other noise sources. This contributes to a robust connectivity experience, with less risk of dropped connections and reduced data rates.

Featured product:

AIROC™ Wi-Fi and Bluetooth® Combo

Learn more:

AIROC™ Wi-Fi 6/6E + Bluetooth® Solution video



AIROC™ Wireless Coexistence

Different wireless technologies like Wi-Fi, Bluetooth®, and ZigBee/Thread on the same device can interfere with each other causing dropped connections, degraded performance, and overall poor user experience. Infineon's advanced coexistence algorithms ensure optimal performance and reliability even during the most challenging concurrent use cases. Parameters are configurable to meet developers' design targets.

Featured product:

AIROC™ Wi-Fi Bluetooth® Combo

Learn more:

Wireless Collaborative Coexistence Application Note

Low power Wi-Fi

Infineon's AIROC™ lineup features devices with Ultra Low-Power (ULP) architecture for optimized power consumption in both active and standby modes. Additionally, advanced network offload capabilities enable the Wi-Fi device to maintain a connection all the way through to the cloud server, while the host processor remains in low-power sleep mode.

Featured product:

AIROC™ CYW43022

Learn more:

Low-Power System Design Application Note









Multi-platform compatible

For flexible and rapid development of your connected product, Infineon provides AIROC™ wireless support for major third party platforms like OS and device platforms. Infineon delivers a complete wireless design environment with ModusToolbox™ for RTOS designs and partners with the open-source community to provide quality and secure connectivity for Linux and Android.

Featured product:

AIROC™ wireless

Learn more:

ModusToolbox™ | AIROC™ Linux and Android drivers

Wireless support for Matter

Emerging protocol standards like Matter facilitate the interoperability and adoption of smart home products. As a member of the Connectivity Standards Alliance board, Infineon shapes the Matter specification and also supports Matter over Wi-Fi and Thread with its AIROC™ wireless connectivity portfolio.

Any Matter device requires a unique device identity to be provisioned by the OEM. Here an OPTIGA™ Trust M MTR can support OEMs as it comes pre-provisioned with all credentials required for Matter. During the onboarding process, there is typically a mobile phone involved. Matter requires a secured channel established between the phone and the IoT device. Once established, the communication is authenticated and encrypted. In this scenario, the OPTIGA™ Trust M MTR helps via crypto offloading to accelerate the advanced cryptography and improve user experience.



AIROC™ CYW43022 | PSOC™ 6 MCU | OPTIGA™ Trust M MTR

Learn more:

Matter demo video | Matter web page







NFC for smart wearables

Smart wearables equipped with NFC can let you pay at a store, ride public transportation, and even enter your office building. With Infineon's SECORA™ Connect you can easily add secure payments and biometric authentication within the size and power limitations for wearables.

Featured product:

SECORA™ Connect

Learn more:

SECORA™ Connect Smart Wearables video

NFC for Wi-Fi commissioning

Quick, easy, and secure onboarding remains a challenge for any IoT device using Wi-Fi, especially the devices without a keyboard or screen. Infineon's NFC for Wi-Fi onboarding demo shows how quick and secure Wi-Fi onboarding can be done for applications like appliances, lighting, speakers, TVs, and thermostats.


Featured product:

OPTIGA™ Authenticate NBT

Learn more:

NFC for Wi-Fi commissioning demo video





NFC powered digital experience

Digital customer experiences now include the rising popularity of blending the physical and digital realms for consumer segments like the metaverse. These experiences enhance a brand's physical offering, increase the chances of success against competitors, and drive repeat sales with a more personalized experience. Infineon NFC tags enable this seamless and immersive experience for your customers including invitations to special events, reminders about upcoming service appointments, and connecting to the metaverse brand store.

Featured product:

Secured NFC tags | Plain NFC tags

Learn more:

NFC 2 Go starter kit



Connecting to the cloud has become a central part of an IoT solution as it unlocks the potential for greater analytics, insights, and accessibility for connected devices. With the advent of hybrid cloud and deployments using multiple cloud providers, you need to know that your device can work with any cloud.

Support for major cloud providers

As IoT deployments increase in size and complexity, the cloud vendor you choose today may not be the one you use tomorrow. This uncertainty requires the flexibility to work with any cloud provider. With support for major public clouds, Infineon makes it easy for you to work with the cloud you need.





Secure provisioning and deployment

The AIROC™ Cloud Connectivity Manager (CCM), supporting AWS IoT ExpressLink lets IoT devices connect easily and securely to AWS over Wi-Fi. The CCM eliminates the need to manage connectivity, cloud networking, and security for IoT products, enabling faster time to market.

Featured product:

AIROC™ Cloud Connectivity Manager

Learn more:

AIROC™ CCM Kit



When your IoT device sets things in motion, you need the right combination of hardware and software to implement embedded motor control. The challenge is to find the right expertise to develop the software correctly, especially for things like motor control. Infineon's powerful combination of microcontrollers and motor control software lets you quickly customize your motor control solution.

Easy motor control development

Developing motor control can be difficult with all the different varieties of motors. You can often find yourself struggling to find the right combination of motor control drivers along with support for different power levels. The Infineon iMOTION™ evaluation kit lets you get a motor running in less than 1 hour. The kit's modular approach gives you maximum flexibility and scalability during the evaluation and development phases, letting you easily set up a complete motor drive evaluation system.



Featured product:

iMotion™ motor control

Learn more:

iMOTION™ design kit



Customized motor control

Developing the right control scheme can be difficult given the wide variety of motor control applications. The XMC1000 Motor Control Application Kit lets you quickly prototype PMSM and BLDC motor control schemes with various position and current feedback sensors to balance cost and performance. This modular system allows users to evaluate the XMC1302 or XMC1404 microcontrollers with respect to motor control feature set and performance.

Featured product:

XMC1000

XMC1000Learn more:

XMC1000 Motor Control Application Kit

Actuation

Advanced motor control

For advanced motor control applications that need high performance for real time control the XMC7200 Motor Drive Card delivers best-in-class compute performance along with real time, reliable connectivity. With low power modes and the ability to operate in harsh environments, the kit lets you build applications for the most demanding industrial use cases. The large number of peripherals support a wide range of industrial applications and requirements including complex motor control.

Featured product:

XMC7000

Learn more:

XMC7000 robotic arm demo video





Connected motor control

Testing and visualizing motor control signals can be difficult often requiring cumbersome test setups with hard to use interfaces. Infineon's XMC4800PSOC6M5 controller board kit lets you simplify testing with an easy-to-use embedded graphical user interface (GUI) accessible via Wi-Fi, giving you touch-free control and configuration during testing. With a M5 connector and code examples, the kit provides the flexibility to design test cases in hardware and software quickly.

Featured product:

XMC4800

Learn more:

EVAL-XMC4800PSOC6M5

Actuation

Simplified and reliable motor control

To improve the reliability and reduce cost, tool makers are looking to remove sensors for detecting motor position using sensorless Field Oriented Control (FOC). The challenge for implementing FOC is to find a microcontroller with enough processing power and investing the time to develop the software algorithms. Infineon's PSOC™ Control microcontrollers let you quickly build sensorless FOC by supplying all the processing power you need - enough to control up to two motors at once. Combined with integrated analog circuitry and software algorithms you can use through ModusToolbox™, PSOC™ Control lets you quickly develop motor control solutions all at a lower BOM cost.



Featured product:

PSOC™ Control

Learn more:

PSOC™ Control video





As more devices get connected and smarter, a reliable and efficient power source remains a key requirement. From high voltage to battery power, devices need to effectively manage the power limits and requirements to ensure reliability, performance, and fast time to market. To meet these wide ranging needs, Infineon provides a full spectrum of power solutions from USB-C to Qi wireless charging to battery management systems.

USB-C power

The world has started moving to USB-C which is becoming the most common power source for portable electronics. To correctly design a USB-C power source requires in-depth knowledge to handle the software and hardware requirements. With a rich portfolio of USB-C and power delivery products, Infineon provides end-to-end solutions for USB-C Power Delivery.

The EZ-PD™ Barrel Connector Replacement (BCR) is an easy to use, cost effective solution to replace old, incompatible barrel jacks or custom connectors with Infineon's highly integrated USB Type-C port controller – all with no firmware development and few external components.

Featured product:

EZ-PD™ Barrel Connector Replacement-Lite

Learn more:

Barrel connector replacement kit

Barrel connector replacement tech talk video



Power



Wireless charging

With the widespread adoption of the Qi wireless charging standard, there is a growing risk of using unauthorized wireless chargers. Infineon lets you easily build authorized Qi compliant wireless chargers with secured authentication using OPTIGA™ Trust Charge. OPTIGA™ Trust Charge supports device authentication for inductive wireless charging according to the Qi 1.3 wireless charging standard. As your partner for secured authentication according to the Qi wireless charging standard, Infineon makes the Qi certification process easy by handling the entire provisioning process, including the WPC-compliant certificate chain. In addition, the Wireless Charging kit makes development easy by offering a highly efficient and secure wireless charging platform.

Featured product:

OPTIGA™ Trust Charge | WLC1115 wireless charging transmitter IC

Learn more:

Wireless charging kit

Industrial switch-mode power supplies

Industrial switch-mode power supplies (SMPS) operate in outdoor environments without cooling and require reliability and robustness since they must deal with high-temperatures, outdoor use, line surges, load jumps, and short circuits. Infineon SMPS delivers the best price to performance ratio along with the highest efficiency and reliability for the typical 10 to 20 year industrial SMPS life cycle.

Featured product:

XMC4200 | 600V CoolMOS™

Learn more:

EVAL_3K3W_BIDI_PSFB evaluation board



Power

Power conversion

PSU applications like telecom and servers need to deliver reliable output voltage levels even as the supply side fluctuates and the loads dynamically change. Combined with the market pressures for efficiency and smaller size, you must find a microcontroller that can meet all these requirements. Infineon's PSOC™ Control microcontrollers let you handle power conversion applications including computationally intensive power factor correction (PFC). With high speed ADC sampling rate and software algorithms you can use through ModusToolbox™, PSOC™ Control lets you quickly develop power conversion solutions all with PSA L2 security.



Featured product:

PSOC™ Control

Learn more:

PSOC™ Control video





Developers are often forced to choose between closed, proprietary flows that struggle to keep pace with modern innovations and open platforms that fail to support the unique features and value of their target device. The ModusToolbox™ software ecosystem delivers the best of both worlds with a platform that gives you a flexible development experience, increased productivity, and feature-rich, development tools and embedded run-time assets. ModusToolbox™ makes your life easier and more efficient by removing development barriers and allowing you to deliver quality products to market faster.

Embedded software

ModusToolbox™ accelerates the software development lifecycle without imposing a rigid, inflexible flow on engineering and validation teams. Unlike traditional IDE centric approaches, ModusToolbox™ provides powerful standalone tools supporting project creation, middleware management, BSP customization, and device configurators, while leaving the choice of compiler, editor, debugger, and revision control system to suit your preferences.


Ready-to-use software assets, example code project, and documentation let you reduce errors. Even the traditionally tedious tasks of creating a new project and keeping software up-to-date are easy with the ModusToolbox™ Project Creator and Library Manager tools.

Featured product:

 $Modus Tool box^{\tiny{\mathsf{TM}}}$

Learn more:

ModusToolbox™ introduction video



Learn more about the Infineon product portfolio

To find out more about the products featured in this guide or any Infineon product, click on any of the links shown below.

Analog /Discrete

IGBTs

Low-Side/High-Side Switches

MOSFETs

MOSFET/IGBT Drivers

Audio

Class D Audio Amplifiers
MEMS Microphones

I/O Interface / USB

Alternator Regulator

TRAVEO™ II CAN FD

Constant Current Control IC

Engine Management IC

Load Switch

Mirror IC

Restraint System IC

Security/Authentication

System Basis Chips (SBC)

USB Serial Hub

Memory

NOR Flash/FRAM/HyperBus/SRAM

Microcontrollers

AURIX™ MCU

iMOTION™

MOTIX™ Embedded Power ICs

PSOC™ Edge MCU

PSOC™ Control MCU

PSOC™ 6 MCU

PSOC™ 4 MCU

PSOC™ 5LP MCU

TRAVEO™ Automotive MCU

XMC™ MCU

Motor Control

Embedded Power ICs

BLDC Motors

Brushed DC Motor

H-Bridge

Half Bridge IC

IGBTs

MOSFETs

MOSFET/IGBT Modules

MOSFET/IGBT Drivers

Motor Control

Synchronous Rectifiers
Stepper Motor Drivers

Power

Automotive Conventional Powertrain ICs

AC/DC Power Conversion

Buck Converters

Class D Audio Amplifiers

DC/DC Switching Regulator (PMIC)

Diodes & Thyristors (Si/SiC)

LDOs

Gate Driver ICs

High Power Diodes & Thyristors

Isolated Industrial Interface

Intelligent Power Modules (IPM)

LED Drivers

MOSFET/IGBT Modules

Motor Control ICs

Power Factor Correction

Solid State Relay

Smart Power Switches

USB Type-C and Power Delivery

Wide Bandgap Semi's (SiC/GaN)

Wireless Charging ICs

RF & Wireless (Wi-Fi / BI F

Antenna Centric Devices

Antenna Switch Module (ASM)

High Reliability Discretes

Low Noise Amplifier LNA ICs

mmWave-MMIC

RF Transistors

RF Diodes

RF Switches (SPxT, DPxT)

RF Modules (LMM)

AIROC™ Wi-Fi + Bluetooth® Radios

Wi-Fi-Only Radios

IoT Partner Modules

Bluetooth®/Bluetooth® LE (SoCs/Modules)

Wireless Control

Safety Solutions ASIL-D

AURIX™ Safety Concept Safety Products PRO-SIL™

Security / Smart Cards

AURIX™ Security Solutions

CIRRENT™ Cloud ID

CIPURSE™ Products

Contactless Memories

OPTIGA™ Authenticate

OPTIGA™ Authenticate NFC

OPTIGA™ Connect

OPTIGA™ Embedded Security

OPTIGA™ Trust

PSOC™ 64 Secure MCU

SECORA™ Connect

SECORA™ Pay Security

Smart Cards for Government ID

Security Controllers

Security Controllers - USB Tokens

Smart Card Modules

Sensors

CAPSENSE™ Capacitive Sensing

Current Sensors

Environmental (CO₂) Sensors

Magnetic Sensors

MEMS Microphones

Pressure Sensors

Radar & Image Sensors

ToF 3D Image Sensors

Transceiver

Automotive Transceivers

Industrial Transceivers

Transistors & Diodes

Bipolar Transistors

Diodes

TVS/ESD Protection



Where to Buy

Infineon distribution partners and sales offices: www.infineon.com/WhereToBuy

Service Hotline

Infineon offers its toll-free 0800/4001 service hotline as one central number, available 24/7 in English, Mandarin and German.

Germany 0800 951 951 951 (German/English) China, mainland 4001 200 951 (Mandarin/English) India 000 800 4402 951 (English) USA 1-866 951 9519 (English/German) Other countries 00* 800 951 951 951 (English/German)

Direct access +49 89 234-0 (interconnection fee, German/English)

*Please note: Some countries may require you to dial a code other than "00" to access this international number, please visit www.infineon.com/service for your country!

Published by Infineon Technologies AG Am Campeon 1-15, 85579 Neubiberg Germany

© 2024 Infineon Technologies AG. All rights reserved.

Document number: 002-36620 Rev. *C Date: 09 / 2024











Stay connected!



Scan QR code and explore offering www.infineon.com

Please note!

This Document is for information purposes only and any information given herein shall in no event be regarded as a warranty, guarantee or description of any functionality, conditions and/or quality of our products or any suitability for a particular purpose. With regard to the technical specifications of our products, we kindly ask you to refer to the relevant product data sheets provided by us. Our customers and their technical departments are required to evaluate the suitability of our products for the intended application.

We reserve the right to change this document and/or the information given herein at any time.

Additional information

For further information on technologies, our products, the application of our products, delivery terms and conditions and/or prices, please contact your nearest Infineon Technologies office (www.infineon.com).

Warnings

Due to technical requirements, our products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by us in a written document signed by authorized representatives of Infineon Technologies, our products may not be used in any life-endangering applications, including but not limited to medical, nuclear, military, life-critical or any other applications where a failure of the product or any consequences of the use thereof can result in personal injury.